

# e-Parcel Secure Data Delivery Service

### **Enterprise - Software**

## e-Parcel VCN-CommCenter 8.0

# **Installation Manual**

(for advance preparations)

May, 2023

**e-Parcel Corporation** 



### To start the e-Parcel Secure Data Delivery Service - Enterprise Software, this section below describes system specifications for e-Parcel VCN-CommCenter.

Software Name.....e-Parcel VCN-CommCenter 8.0

🕑 OS.....

Microsoft Windows XP or later / Windows 2000 Server or later (64bit or 32bit)

\*VCN-CommCenter 8.0.8023 (Released on April 1, 2022) or later is compatible with Windows11 / Windows server 2022.

\*Available display languages are listed below for VCN-CommCenter GUI: [Japanese, English, French, German, Spanish, Chinese-simplified, Chinese-traditional]

Network......Internet Connection to the e-Parcel servers \*If your computer or network environment have any access control such as block or analysis of SSL connections, you need to allow (exclude from target) HTTPS protocol communications [Port=443] to the e-Parcel service domains as of [https://\*.e-parcel.ne.jp] and [https://\*.e-parcel.com].

**Computer Memory (RAM)**...64 MB RAM or more for application

Disk Space.......15 MB Disk Space or more for installation (Plus, additional disk space required for delivery items while sending and receiving.)

Recommended...To use efficiently, recommend near the latest version of OS and browser application, computer memory and disk space as much as possible.





ali	ek "Download" button
CII	ck Download Dutton.
	Download your client digital certificate now !
	* When installing (importing) a client digital certificate in Windows, you must sign in Windows with a user account which runs the e-Parcel client software.
	The Client Digital Certificate
	For new users * SHA2 certificate is available to VCN-CommCenter 7.0.7015 or later / VCN-AX 4.0.4006 or later.
	$\bigcirc$ If you use a previousrelease, choose this. (SHA1 certificate for previous versions)
	When the browser application prompts you for what to do with download, select "Open file" in the download notification bar.
	Download
	1
-	••••• Install your client digital certificate in Windows
Fc	Install your client digital certificate in Windows
-c	Install your client digital certificate in Windows Show the instructions on the webpage to install (import) the e-Parent digital certificate in Windows.
Fc cli A A	<ul> <li>Install your client digital certificate in Windows</li> <li>Install your client digital certificate in Windows</li> <li>Install certificate in Windows.</li> <li>Itention 1) For Windows 10 or later, choose the "Current user" as Store Loo on the "Welcome to the Certificate Import Wizard".</li> <li>Itention 2) On the "Private Key Protection" while Import Wizard, enter a pawhich is the same one as you previously used at STEP 1. Logir Also, you need to place a check in the checkbox "Mark this key exportable". (Set checked for auto-setup software at the later</li> </ul>
Fc cli A Af	<ul> <li>Install your client digital certificate in Windows</li> <li>Install your client digital certificate in Windows</li> <li>Install certificate in Windows.</li> <li>Itention 1) For Windows 10 or later, choose the "Current user" as Store Lo on the "Welcome to the Certificate Import Wizard".</li> <li>Itention 2) On the "Private Key Protection" while Import Wizard, enter a pa which is the same one as you previously used at STEP 1. Logir Also, you need to place a check in the checkbox "Mark this key exportable". (Set checked for auto-setup software at the later</li> <li>Iter installation of the e-Parcel client digital certificate in Windows ck "Next" button.</li> </ul>
Fc cli A Af	<ul> <li>Install your client digital certificate in Windows</li> <li>Install your client digital certificate in Windows</li> <li>Install certificate in Windows.</li> <li>Itention 1) For Windows 10 or later, choose the "Current user" as Store Lo on the "Welcome to the Certificate Import Wizard".</li> <li>Itention 2) On the "Private Key Protection" while Import Wizard, enter a pa which is the same one as you previously used at STEP 1. Logir Also, you need to place a check in the checkbox "Mark this key exportable". (Set checked for auto-setup software at the later</li> <li>Iter installation of the e-Parcel client digital certificate in Windows ck "Next" button.</li> </ul>
Fc cli A Af	<ul> <li>Install your client digital certificate in Windows</li> <li>Install your client digital certificate in Windows</li> <li>Install certificate in Windows.</li> <li>Itention 1) For Windows 10 or later, choose the "Current user" as Store Loo on the "Welcome to the Certificate Import Wizard".</li> <li>Itention 2) On the "Private Key Protection" while Import Wizard, enter a pay which is the same one as you previously used at STEP 1. Login Also, you need to place a check in the checkbox "Mark this key exportable". (Set checked for auto-setup software at the later</li> <li>Iter installation of the e-Parcel client digital certificate in Windows ck "Next" button.</li> <li>Proceed to the next step.</li> <li>Reconfirm! : Did you set checked in the checkbox "Mark this key as exportable" (validated: of while the "Certificate Import Wizard" operation above?</li> </ul>



[When you succeeded in accessing]

New tab "The e-Parcel Secure Enterprise - Web Browser" is opened. (\*see diagram below) You have successfully accessed to the e-Parcel site with your client digital certificate for authentication.

Proceed to the next page for the remaining operations of password change and STEP 6. software installation.

🕑   📴 Download Softwa 🗙	eP Try to access URL × eP	[User Info] e-Par⇔ X	+ -	
$\leftarrow$ $\rightarrow$ C $\textcircled{D}$ h	ttps://secure.e-parcel.ne.jp/u	user_info_sim රි	¢ @	•••
SECU	RE		e-Par	
Crea New In	box Outbox	User Info		
User GID	16777523			
e-Parcel ID	test-epid1@e-parcel.co.jp			
User Name	John			
	e-Parcel			
Description	e-Parcel Corporation			
Contact Tel	01-2345-6789	Th:		. i d a d
Language	English 🗸	for online ing	ebsite is pro uirv of vour	information.
Time Zone	UTC (GMT) 🗸	*You canno	t send & re	ceive data
Daylight Savings	N.A. 🗸	on this	browser wi	indow.
New Password				
New Password (re-enter)				
Password Protect	No 🗸			
Monthly Total	0.0 B (0 B)			
Update				•

#### [If you were rejected to access]

\*If you failed to open "The e-Parcel Secure Enterprise - Web Browser" window

(\*see diagram above), at first, would you please confirm SSL connections to the e-Parcel service domains in your network?

If your computer or network environment (the proxy server, firewall, any applications for security measures or etc.) have any access control such as block or analysis of SSL connections, you need to allow (exclude from target) HTTPS protocol communications [Port=443] to the e-Parcel service domains as of [https://\*.e-parcel.ne.jp] and [https://\*.e-parcel.com] (Wildcard domain: Asterisk mark [\*] would be replaced with name of multiple servers via the e-Parcel service.). If you are not clear about that, please consult your network administrator to modify the network settings.

\*After confirmed SSL connections to the e-Parcel service domains,

if you are still rejected to access URL of the site in spite of certificate installed in Windows, return to the previous tab of STEP5 page. Then, click "Access Failure" button on the middle of the displayed webpage, and then carefully read the description in the Q&A page.

-			
4			
1.	n "The e-Parce	l Secure Enternrise - We	ah Browser" window
v	iew "User Info"	menu	
·			
,	to prov There Attention 2) For s on "Th (Note On the into "li	ceed to the last STEP 6. sof fore, don't close the previous oftware users, don't send da the e-Parcel Secure Enterprise that "Create New" menu wo e site, you can view / edit "Use hbox" & "Outbox" histories re	tware operation required. s tab of STEP5 page in browser. ata from "Create New" menu se - Web Browser" window. n't be shown after software installation ser Info", change password, and inque ecorded for the selected period.
—• T	o change pass	word enter a new nassw	lard
ir a *F	n both "New Pa and then click "U Password must be Note that passw	Ssword" and "New Passy Jpdate" button. between 8 - 20 half-width a ord is case-sensitive, and co x × P Try to access URL × P Us https://secure.e-parcel.ne.jp/user	word (re-enter)" fields, alphanumeric characters. ontains no spaces. er Info] e-Parc × + × info_sim to the operation of the operation
ir a ⊁ŗ	n both "New Pa and then click "U Password must be Note that passw Ouverload Soft Crea New User GID	ssword" and "New Passy Jpdate" button. between 8 - 20 half-width a ord is case-sensitive, and co x × P Try to access URL × P Us https://secure.e-parcel.ne.jp/user URCE Inbox Outbox	word (re-enter)" fields, alphanumeric characters. ontains no spaces. er Info] e-Parc × + × info_sim & & & @ Ce-PCICCEI®
ir a ∗ŗ	n both "New Pa and then click "U Password must be Note that passw	ssword" and "New Passy Jpdate" button. e between 8 - 20 half-width a ord is case-sensitive, and co wax I I Try to access URL x I I US https://secure.e-parcel.ne.jp/user	word (re-enter)" fields, alphanumeric characters. ontains no spaces. er Info] e-Parc X + X info_sim & & @ @ CerParcel® User Info
ir a *r	n both "New Pa and then click "U Password must be Note that passw	ssword" and "New Passy Jpdate" button. between 8 - 20 half-width a ord is case-sensitive, and co x × P Try to access URL × P Tus https://secure.e-parcel.ne.jp/user URCE Inbox Outbox 16777523 test-epid1@e-parcel.co.jp John	word (re-enter)" fields, alphanumeric characters. ontains no spaces. er Info_e-Parc × ++ × _info_sim & & @ @ Ce-Parcel®
ir a *r	n both "New Pa and then click "U Password must be Note that passw	ssword" and "New Passy Jpdate" button. e between 8 - 20 half-width a ord is case-sensitive, and co w × P Try to access URL × P TUs https://secure.e-parcel.ne.jp/user URCE Inbox Outbox 16777523 test-epid1@e-parcel.co.jp John e-Parcel	word (re-enter)" fields, alphanumeric characters. ontains no spaces. er Info] e-Parc × + × _info_sim & & @ @ Correct® User Info
ir a ∗ŗ	n both "New Pa and then click "U Password must be Note that passw	ssword" and "New Passy Jpdate" button. between 8 - 20 half-width a ord is case-sensitive, and co xe × P Try to access URL × P Us https://secure.e-parcel.ne.jp/user URCE Inbox Outbox 16777523 test-epid1@e-parcel.co.jp John e-Parcel e-Parcel Corporation	word (re-enter)" fields, alphanumeric characters. contains no spaces. er Info] e-Parc × + × info_sim & & @ @ Control @
ir a ∗ŗ	n both "New Pa and then click "U Password must be Note that passw	ssword" and "New Passy Jpdate" button. between 8 - 20 half-width a ord is case-sensitive, and co x × P Try to access URL × P [Us https://secure.e-parcel.ne.jp/user URCE Inbox Outbox 16777523 test-epid1@e-parcel.co.jp John e-Parcel e-Parcel e-Parcel for the test-epident of test-epident of the test-epident of test-epi	word (re-enter)" fields, alphanumeric characters. ontains no spaces. er Info] e-Parc X + X info_sim & @ @ @ CerCect® User Info
ir a *r	n both "New Pa and then click "U Password must be Note that passw	ssword" and "New Passy Jpdate" button. between 8 - 20 half-width a ord is case-sensitive, and co x x r Try to access URL x r Us https://secure.e-parcel.ne.jp/user URCE Inbox Outbox 16777523 test-epid1@e-parcel.co.jp John e-Parcel e-Parcel e-Parcel e-Parcel English v UTC (GMT) xid	word (re-enter)" fields, alphanumeric characters. ontains no spaces. er Info] e-Parc × + × _info_sim & & @ @ Cer Parcel® User Info
ir a ∗r	both "New Pa and then click "U Password must be Note that passw	ssword" and "New Passy Jpdate" button. between 8 - 20 half-width a ord is case-sensitive, and co x × P Try to access URL × P Us https://secure.e-parcel.ne.jp/user URCE Inbox Outbox 16777523 test-epid1@e-parcel.co.jp John e-Parcel e-Parcel e-Parcel english × UTC (GMT) ×	word (re-enter)" fields, alphanumeric characters. ontains no spaces. er Info] e-Parc × + × info_sim & & @ @ Correct® User Info
ir a ∗ŗ	n both "New Pa and then click "U Password must be Note that passw Crea New User GID e-Parcel ID User Name Description Contact Tel Language Time Zone Daylight Savings	ssword" and "New Passy Jpdate" button. between 8 - 20 half-width a ord is case-sensitive, and co x × P Try to access URL × P [Us https://secure.e-parcel.ne.jp/user URCE Inbox Outbox 16777523 test-epid1@e-parcel.co.jp John e-Parcel e-Parcel e-Parcel e-Parcel English × UTC (GMT) × N.A. ×	word (re-enter)" fields, alphanumeric characters. ontains no spaces. er Info] e-Parc X + X info_sim & @ @ @ CerCect® User Info
ir a *r	n both "New Pa and then click "U Password must be Note that passw	ssword" and "New Passy Jpdate" button. between 8 - 20 half-width a ord is case-sensitive, and co x × P Try to access URL × P Tus https://secure.e-parcel.ne.jp/user URCE Inbox Outbox 16777523 test-epid1@e-parcel.co.jp John e-Parcel e-Parcel e-Parcel e-Parcel e-Parcel English v UTC (GMT) v N.A. v	word (re-enter)" fields, alphanumeric characters. ontains no spaces. er Info] e-Parc × + × info_sim & A A A A A A A A A A A A A A A A A

	I Softwar 🗙   🧬 Try to access URL C 🗙	eP [Process Result] e- × +
$\leftarrow \rightarrow $ G	https://secure.e-parcel.ne.j	p/user_info_updat 🏠 ో≘ 🔂 🧶 …
SEC	IORE	e-Parcel <sup>®</sup>
Process Result		
OK		

You finished the operation on "The e-Parcel Secure Enterprise - Web Browser" window. Return to the procedures for installing the client software.

To return, switch to the previous tab of STEP5 page in browser. Click "Next" button on the bottom of the displayed webpage to proceed to STEP6.



З.



lns	talling e-Parcel Client Software
<b>1</b> . Wher Instal Atten	you open the executable file of the e-Parcel VCN-CommCenter 8.0 IShield Wizard starts. tion) If the Security Warning appears prompting you to install this application, allow executing.
Follov softwa	v the instructions on the webpage to install the e-Parcel client are.
-	Install the client software.
*lf you file r	locate the executable file downloaded in the "Downloads" folder, the executab name (either 64bit or 32bit) is as the diagram below. To open it, double-click.
	SetupVcnCC_x.     SetupVcnCC_x.       x.x000_x64.exe     x.x000.exe
2. Selec	t display language for installation from pull-down menu. And then, OK" button.
e	Parcel VCN-CommCenter 8.0 - InstallShield Wizard X
	Select the language for the installation from the choices below.
	English
	Select display language, click "OK" button.
*You v afte Opti	vill be able to change the setting of display language for VCN-CommCenter G r software gets started. To change the setting, select from menu Tool > Option on Config "Language Setting".

З. InstallShield Wizard will guide you through the installation processes. Click "Next" button to continue. 🛃 e-Parcel VCN-CommCenter 8.0 - InstallShield Wizard × Welcome to the InstallShield Wizard for e-Parcel VCN-CommCenter 8.0 The InstallShield(R) Wizard will install e-Parcel VCN-CommCenter 8.0 on your computer. To continue, click Next. WARNING: This program is protected by copyright law and international treaties. Welcome to InstallShield Wizard. Click "Next" button. Next > Cancel 🖶 e-Parcel VCN-CommCenter 8.0 - InstallShield Wizard X License Agreement ئ Please read the following license agreement carefully. LICENSE AGREEMENT This legal document is an agreement between you, the registered-user ("Licensee") and e-Parcel Corporation ("e-Parcel"), having a place of business at 3-4 Nibancho Chiyoda-ku Tokyo 102-0084 Japan. BY CLICKING ON THE "I AGREE" BUTTON BELOW, YOU ARE AGREEING TO BE BOUND BY THE TERMS OF THIS AGREEMENT, WHICH INCLUDES THE Read carefully DO NOT AGREET BUTTON AND YOU WILL AUTOMATICALLY EXIT. HIS License Agreement. To continue, Jaccept the terms in the license agreement Print I do not accept the terms in the license agreement choose "I accept ... " and InstallShield click "Next" button. < Back Next Cancel 🖶 e-Parcel VCN-CommCenter 8.0 - InstallShield Wizard X **Customer Information** 3 Please enter your information. User Name: 00000 Organization: It shows Customer Information configured in your computer. (Sometimes it may be blanks.) InstallShield Click "Next" button.

< Back

Next >

Cancel

Confirm each folder Confirm each folder Confirm each folder betal effective VCN-Connecters 8.0 the centre of the second VCN-Connecters 8.0 the centre o	🕼 e-Parcel VCN-CommCenter 8.0 - InstallShield Wizard	×	
Clother to metal to the folder, or clother is 0 to: Cuthorgam Heads - BorceBVCH-Connector is 0 distance to: Cuthorgam: Cuthorgam Heads - BorceBVCH-Connector is 0 distance to: Cuthorgam: Cuth	Destination Folder		Confirm each folder
Install = Parcel WCM-CommCenter 8.01 %       Clarge         * If you want to install to a different folder, at dick -Change's button.       * If you want to install to a different folder, at dick -Change's button.         * If you want to install to the older, or doc change to install for a different folder.       * If you want to install to the older.         * ended Sheld       Image: Careed       * If you want to install to the older.         * ended Sheld       Image: Careed       * If you want to install to the older.         * ended Sheld       Image: Careed       * If you want to install to the older.         * ended Sheld       Image: Careed       * If you want to install to the older.         * ended YCM-CommCenter 8.0 (Database to: Careed       * If you want to install to the older, or doc change to install to a different toder.         * of the sto install to the folder, or doc change to install to a different toder.       * If you want to install to the folder, or doc change to install to a different toder.         * of added       Image: Careed       * Image: Careed         * bask       Image: Careed       * Image: Careed         * of added of the older, or doc change to install to a different folder.       * Image: Careed         * of added of the older, or doc change to install to a different folder.       * Image: Careed         * of added of the older, or doc change to install to a different folder.       * Image: Careed         <	Click Next to install to this folder, or click Change to install to a different fold	ler.	location (by default),
Celled Tech Outlot.          • If you want to install to a different folder, click "Change" button.         Specify another folder, at the click "Change" button.         • Parcel VCN-CommCenter 8.0 (Database Location)         • Parcel VCN-CommCenter 8.0 (Data Storage Path)         • the folder of VCN-CommCenter 8.0 (Data Storage Path)         • the folder, or dk. Change to netal to a different folder.         • the folder of VCN-CommCenter 8.0 (Data Storage Path)         • Parcel VCN-CommCenter 8.0 (Data Storage Path)         • Parcel VCN-CommCenter 8.0 (at a the folder, or dk. Change to netal to a different folder.         • Parcel VCN-CommCenter 8.0 (bata Storage Path)         • Che Parcel VCN-CommCenter 8.0 (bata Storage Path)         • Parcel VCN-CommCenter 8.0 at different folder.         • Parcel VCN-CommCenter 8.0 at a the folder, or dk. Change to netal to a different folder.         • Parcel VCN-CommCenter 8.0 at a the folder, or dk. Change to netal to a different folder.         • Parcel VCN-CommCenter 8.0 dat the folder, or dk.Change to netal to a different folder.         • Parcel VCN-CommCenter 8.0 dat the folder, or dk.Change to netal to a different folder	Install e-Parcel VCN-CommCenter 8.0 to:		click "Next" button
Invalidited Invalidite	C:¥Program Files¥e-Parcel¥VCN-CommCenter 8.0¥	Change	
Installation of the second			
Interded in the second sec			* If you want to install to
retailbield  ret			a different folder,
the dick "Next" button (folders below as well) etabase Folder of VCN-CommCenter 8.0 (Database Location) • etarbase folder Cathect to instal to the folder, or dok Change to instal to a different folder. • bradise folder • bradise folder, or dok Change to instal to a different folder • bradise folder, or dok Change to instal to a different folder • bradise folder, or dok Change to instal to a different folder • bradise folder, or dok Change to instal to a different folder • bradise folder, or dok Change to instal to a different folder • bradise folder, or dok Change to instal to a different folder • bradise folder, or dok Change to instal to a different folder • bradise folder of VCN-CommCenter 8.0 (brange)			Specify another folder an
			then click "Next" button
			(folders below as well)
<image/>	InstallShield	Cancel	
<image/>	A DOLK HINDAL 2	Cancer	
Atabase Folder of VCN-CommCenter 8.0 - InstallShield Wizard Per level VCN-CommCenter 8.0 - InstallShield Wizard Per level VCN-CommCenter 8.0 didabase to: Per level VCN-CommCenter 8.0 didabase to			
e-Parcel VCN-CommCenter 8.0 - InstallShield Wizard Cite: Parcel VCN-CommCenter 8.0 database to: Cite: Parcel VCN-CommCenter 8.0 data to: Cite: Parcel VCN-Comm	Database Folder of VCN-CommCent	er 8.0 (Dat	abase Location)
Detabase raider     Cick Next to install to this folder, or dick Change to installat to a different folder.     Install e-Parcel WCN-CommCenter 8.0 database to:     Cick-ParcelWCN-CommCenter 8.0 database to:     Cick-ParcelWCN-CommCenter 8.0 database to:     Cick-ParcelWCN-CommCenter 8.0 database to:     Detabase to install to this folder, or dick Change to install to a different folder:     Cick-ParcelWCN-CommCenter 8.0 database to:     Detabase to install to this folder, or dick Change to install to a different folder:     Cick-ParcelWCN-CommCenter 8.0 data to:	場 e-Parcel VCN-CommCenter 8.0 - InstallShield Wizard	×	
Cick Hext to install to this folder, or cick Change to install to a different folder. Install e-Parcel VCM-CommCenter#dbW InstalleHeid TextelShield Text	Database Folder	2	
Install e-Parcel WCN-CommCenter 8.0 database to: Install bibled Terrel WCN-CommCenter 8.0 database to: Terrel WCN-CommCenter 8.0 - Install Shield Wizard Percel WCN-CommCenter 8.0 - Install Shield Wizard Percel WCN-CommCenter 8.0 - Install Shield Wizard Terrel WCN-CommCenter 8.0 data to: Change Phate Forcel WCN-CommCenter 8.0 data to: Change	Click Next to install to this folder, or click Change to install to a different fold	ler.	
CtWe-ParceWVCN-CommCenterWdbW InstallSheld ■ e-Parcel VCN-CommCenter 8.0 - InstallSheld Wizard ■ e-Parcel VCN-CommCenter 8.0 - InstallSheld Wizard ■ e-Parcel VCN-CommCenter 8.0 - InstallSheld Wizard ■ Cick Next to install to this folder, or cick Change to install to a different folder. ■ Install e-Parcel VCN-CommCenter#dataW Change	Install e-Parcel VCN-CommCenter 8.0 database to:		
InstallSheld	C:¥e-Parcel¥VCN-CommCenter¥db¥	Change	
InstallShield TextalShield PerParcel VCN-CommCenter 8.0 - InstallShield Wizard PerParcel VCN-CommCenter 8.0 - InstallShield Wizard Cata Folder Cata Folder Cata Folder Data Hoursel VCN-CommCenter 8.0 data to: City ParcelWCN-CommCenter 8.0 data to: City ParcelWCN-CommCenter 8.0 data to: Change			
InstallShield TextalShield Texta Folder of VCN-CommCenter 8.0 class of Class Storage Paths e-Parcel VCN-CommCenter 8.0 - InstallShield Wizard e-Parcel VCN-CommCenter 8.0 data to: Textal e-Parcel VCN-CommCenter 8.0 data to: Cirer Parcel VCN-CommCenter 8.0 data to: Cirer Parcel VCN-CommCenter Vdata V Change			
InstallShield Texta Folder of VCN-CommCenter 8.0 (Data Storage Path) Several VCN-CommCenter 8.0 - InstallShield Wizard Several VCN-CommCenter 8.0 - InstallShield Wizard Citck Next to install to this folder, or click Change to install to a different folder. Citck Next to install to this folder, or click Change to install to a different folder. Single - Parcel VCN-CommCenter 8.0 data to: Single - Parcel VCN-CommCenter 8.0 data to: Citcher Single - Parcel VCN-CommCenter 8.0 data to: Single - Parcel VCN-Co			
InstallShield Cancel			
InstallShield Cancel			
InstallShield C Back Vext> Cancel Cancel Cancel Cancel Cancel Cancel Cancel Cancel Control Cancel Control Cancel Control Cancel Control Cancel Control Cancel Control Cancel Control			
< Back	InstallShield		
Image: State Parcel VCN-CommCenter 8.0 - InstallShield Wizard     Image: Click Next to install to this folder, or click Change to install to a different folder     Image: Change     Image: Change     Image: Change	< Back Next >	Cancel	
Image: State Parcel VCN-CommCenter 8.0 - InstallShield Wizard     Image: Click Next to install to this folder, or click Change to install to a different folder     Image: Click Next to install - Parcel VCN-CommCenter 8.0 data to:     Image: Click Next Click - CommCenter 9.0 data to:     Image: Click Next Click - CommCenter 9.0 data to:     Image: Click Next Click - CommCenter 9.0 data to:     Image: Click Next Click - CommCenter 9.0 data to:     Image: Click Next Click - CommCenter 9.0 data to:     Image: Click Next Click - CommCenter 9.0 data to:     Image: Click Next Click - CommCenter 9.0 data to:     Image: Click Next Click - CommCenter 9.0 data to:     Image: Click Next Click - CommCenter 9.0 data to:     Image: Click Next Click - CommCenter 9.0 data to:     Image: Click - Click - CommCenter 9.0 data to:     Image: Click - C			
InstallShield	Data Folder of VCN Commonstants		vrago Dath)
InstallShield			naye Palli)
InstallShield	Data Folder	×	
InstallShield	Click Next to install to this folder, or click Change to install to a different fold	er.	
Install e-Parcel VCN-CommCenter S.U data to: C:¥e-Parcel¥VCN-CommCenter¥data¥ Change InstallShield		A COLORED	
	Linstail e-Parcel VCN-CommCenter 8.0 data to: C:¥e-Parcel¥VCN-CommCenter¥data¥	Change	
InstallShield			
InstallShield			
A MACK			

When it shows "Ready to Install the Program", select for which you want to install the e-Parcel software with your installation settings.



While it shows "Installing...", wait for software installation processing.

 When the e-Parcel client software installation finished, is hows "InstallShield Wizard Completed".

 Image: e-Parcel VCN-CommCenter 8.0 - InstallShield Wizard Completed

 Image: e-Parcel VCN-CommCenter 8.0. Click Finish to exit the wizard.

 Image: e-Parcel VCN-CommCenter 8.0. Click Finish to exit the wizard.

 Image: e-Parcel VCN-CommCenter 8.0. Click Finish to exit the wizard.

 Image: e-Parcel VCN-CommCenter 8.0. Click Finish to exit the wizard.

 Image: e-Parcel VCN-CommCenter 8.0. Click Finish to exit the wizard.

 Image: e-Parcel VCN-CommCenter 8.0. Click Finish to exit the wizard.

 Image: e-Parcel VCN-CommCenter 8.0. Click Finish to exit the wizard.

 Image: e-Parcel VCN-CommCenter 8.0. Click Finish to exit the wizard.

 Image: e-Parcel VCN-CommCenter 8.0. Click Finish to exit the wizard.

 Image: e-Parcel VCN-CommCenter 8.0. Click Finish to exit the wizard.

 Image: e-Parcel VCN-CommCenter 8.0. Click Finish to exit the wizard.

 Image: e-Parcel VCN-CommCenter 8.0. Click Finish to exit the wizard.

 Image: e-Parcel VCN-CommCenter 8.0. Click Finish to exit the wizard.

 Image: e-Parcel VCN-CommCenter 8.0. Click Finish to exit the wizard.

 Image: e-Parcel VCN-CommCenter 8.0. Click Finish to exit the wizard.

 Image: e-Parcel VCN-CommCenter 8.0. Click Finish to exit the wizard.

 Image: e-Parcel VCN-CommCenter 8.0. Click Finish to exit the wizard.

 Image: e-Parcel VCN-CommCente

The e-Parcel VCN-CommCenter gets started to auto-setup promptly. The "Auto Setup" function attempts to automatically detect the e-Parcel client digital certificate installed and your computer's proxy settings.

*If the proxy server configured to your computer's proxy sett requires user authentication, the "Proxy Authentication R may appear. Take either one below depending on the proxy methods.	ngs (Windows) equired" dialog authentication	
<ul> <li>[In the case of NTLM or Integrated Windows Authentication Leave blank in the proxy credentials (User name, Passw "Remember this"). Then, click "OK" button. (*Because V Sign On function will work to automatically apply Window name and password for proxy authentication.)</li> <li>[In the cases of the other authentication methods than the Input the proxy credentials (User name, Password), then c to authenticate. (*If you are not sure of the proxy credentials contact your network administrator to obtain the correct inf</li> </ul>	n] ord, Checkbox Vindows Single s user account above] ick "OK" button entials, please ormation.)	
Authentication Required X		
Proxy Authentication Required. User Name Password Remember this authentication info.		

# 4. When auto-setup completed, VCN-CommCenter GUI is opened.

You usually operate to send and receive data using this application window. \*Once auto-setup and login to the e-parcel server have completed successfully, it should come online. Make sure that the system status "Online" is shown on the bottom right of VCN-CommCenter GUI. The e-Parcel service is ready for use.

Create New Recend	2	25	2 ×	@	23	2	
Electrent Resellu	Reply	Reply All Fi	orward Delete	Address Book	Certificate	Reload	
¥ ↓ 📴 test-epid1@e-pari - 🏝 Inbox ▲ Outbox	Sender	Subject	Stat	us	Size	Created	
Favorites							
			Cheo	k system	status	] — [	
				"Online"			
< >				Total 0 item	15	🖉 Online	
*In addition icon (e- This e-F (When t	on, it is rec Parcel Co Parcel icon the status '	commended mmCenter will flash up Delivery Co	that Window 8.0) in the not o in the notific onfirmed").	vs always otification a ation area	shows t area on when d	the e-Par the taskb ata receiv	cel ar. red





e-Parcel Secure Data Delivery Service Enterprise - Software e-Parcel VCN-CommCenter 8.0 Installation Manual (for advance preparations)

1st version printed in September, 2020 2nd version printed in May 2023

e-Parcel and e-Parcel Logo are trademarks of e-Parcel Corporation. Copyright © 2001-2023 e-Parcel Corporation All rights reserved.

This document is intended for the sole use of e-Parcel and e-Parcel clients only. Confidential and proprietary information is contained and should not be copied and/or distributed without the express written consent of e-Parcel Corporation.

Microsoft, Windows are trademarks of Microsoft Corporation.

e-Parcel Corporation http://www.e-parcel.co.jp/